

Maths - USA

COMMON CORE - GRADE 8

Number of Classes: VARIABLE

Experience Level: MIDDLE SCHOOL

Age Range: 12 - 13 YEARS

01

approximate them by rational numbers. Know that numbers that are not rational are called irrational. Understand informally that every number

The Number System

has a decimal expansion. Use rational approximations of irrational numbers to

· Know that there are numbers that are not rational, and

- compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions.
- Checkpoint opportunity
- +91 9953941983



info@omniowl.in

02

solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number.

Expressions and Equations

· Work with radicals and integer exponents.

- Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or
 - as much one is than the other. · Perform operations with numbers expressed in scientific notation, including problems where both

very small quantities, and to express how many times

· Know and apply the properties of integer exponents

· Use square root and cube root symbols to represent

to generate equivalent numerical expressions.

- decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities. Understand the connections between proportional relationships, lines, and linear equations.
- · Graph proportional relationships, interpreting the unit rate as the slope of the graph. Use similar triangles to explain why the slope m is the same between any two distinct points on a nonvertical line in the coordinate plane; derive the equation y = mx for a line through the origin and the

equation y = mx + b for a line intercepting the vertical

· Give examples of linear equations in one variable with

one solution, infinitely many solutions, or no solutions.

info@omniowl.in +91 9953941983

· Analyze and solve linear equations and pairs of

· Solve linear equations in one variable.

simultaneous linear equations.

axis at b.

equations.

· Solve linear equations with rational number coefficients, including equations whose solutions

04

05

06

03

Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of

graphing the equations.

represented in a different way

Solve systems of two linear equations in two

Analyze and solve pairs of simultaneous linear

require expanding expressions using the

distributive property and collecting like terms.

 Solve real-world and mathematical problems leading to two linear equations in two variables.

intersection satisfy both equations simultaneously.

variables algebraically, and estimate solutions by

each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output. · Compare properties of two functions each

• Interpret the equation y = mx + b as defining a linear

Understand that a function is a rule that assigns to

+91 9953941983 info@omniowl.in

function, whose graph is a straight line

Functions (Contd.) Describe qualitatively the functional relationship between two quantities by analyzing a graph

Understand congruence and similarity using physical

Verify experimentally the properties of rotations,

Lines are taken to lines, and line segments to line

Angles are taken to angles of the same measure.

obtained from the first by a sequence of rotations,

 Understand that a two-dimensional figure is congruent to another if the second can be

Understand that a two-dimensional figure is

from the first by a sequence of rotations,

reflections, translations, and dilations.

similar to another if the second can be obtained

 Use informal arguments to establish facts about the angle sum and exterior angle of triangles,

about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion

models, transparencies, or geometry software.

segments of the same length.

Parallel lines are taken to parallel lines.

reflections, and translations. figures using coordinates.

reflections, and translations:

Geometry

04

- info@omniowl.in +91 9953941983
 - · Investigate patterns of association in bivariate data.
 - info@omniowl.in

info@omniowl.in

- Expressions and Equations (Contd).
 - **Functions** Define, evaluate, and compare functions.
 - · Use functions to model relationships between quantities. Construct a function to model a linear relationship between two quantities.
- Describe the effect of dilations, translations, rotations, and reflections on two-dimensional

for similarity of triangles.

- · Understand and apply the Pythagorean Theorem. Explain a proof of the Pythagorean Theorem and its converse.
- Geometry (Contd.) Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.

Apply the Pythagorean Theorem to find the distance

- model fit by judging the closeness of the data points to the line. Use the equation of a linear model to solve problems
- summarizing data on two categorical variables collected from the same subjects.

Statistics and Probability (Contd.)

seen in bivariate categorical data by displaying

table. Construct and interpret a two-way table

· Understand that patterns of association can also be

frequencies and relative frequencies in a two-way

between two points in a coordinate system. Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres. · Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems. 05 Statistics and Probability · Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association. Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the in the context of bivariate measurement data, interpreting the slope and intercept. +91 9953941983

+91 9953941983